



sabena [®] B707	Module: UPPR FUS /RADOME	A/C Reg :	Check :	 11F3000500
	Oper. : RT-MP LC			
	Type : STRUCT-INSP	Issuer : A43710	Cert.St.: 24828	Page 1 of 3
Spec. : MECH. INSP	Release Date: 16.10.2001			

AD 90-25-07 rev 6788 MAIN DECK CARGO DOOR INSP

		MAINT	RII/INSP
Execution / Start Date:			
End Date:			

AD 90-25-07 rev 6788 MAIN DECK CARGO DOOR INSP

sabena B707	Module: UPPR FUS /RADOME	A/C Reg :	Check :	 11F3000500 Page 2 of 3
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : STRUCT-INSP	Release Date: 16.10.2001		
Spec. : MECH. INSP				

AD 90-25-07 rev 6788 MAIN DECK CARGO DOOR INSP

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3	INS	AD 90-25-07 rev 6788 CPCP C53-100-01P4 rev D MMS-328 523200 01000 rev 15/05/01		
Check: C1						
Zones: 249						
Access:						

CONDITION: Main deck cargo door OPEN and actuator linkage assy protection covers REMOVED.


EXTERIOR SURFACE OF FUSELAGE MAIN DECK CARGO DOOR INSPECTION.

1. Perform inspection of main deck cargo door surface skin panels with particular attention to the following:
 - Main deck cargo door actuator linkage assembly.
 - Main deck cargo door edge frames.

CORROSION INSPECTION SUMMARY.

DESCRIPTION:	HIGHEST CORROSION LEVEL.				DR Nr.
	NO	1	2	3	
- Main deck cargo door actuator linkage assembly.					
- Main deck cargo door edge frames.					



2. Clear any blocked holes or gaps that may hinder drainage.
3. Apply DINITROL (only to the door edge frames).

sabena B707	Module: UPPR FUS /RADOME	A/C Reg :	Check :	 11F3000500
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : STRUCT-INSP	Release Date: 16.10.2001	Page 3 of 3	
Spec. : MECH. INSP				

AD 90-25-07 rev 6788

MAIN DECK CARGO DOOR INSP

MAINT RII/INSP



AD 90-25-07 rev 6788

MAIN DECK CARGO DOOR INSP