



sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000501
Spec. : GENERAL	Release Date: 06.04.2005		Page 1 of 3	

OPEN-BODY SECTION 43 LH FWD

Execution / Start Date:	
End Date:	

MAINT **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	TOOL	234350		SEMCO SCRAPER	1.00	EA

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21C1000501
	Oper. : RT-MP LC	Issuer : A48308	Cert.St.: 50516	
	Type : OPEN	Release Date: 06.04.2005	Page 2 of 3	
Spec. : GENERAL				


OPEN-BODY SECTION 43 LH FWD

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.			GEN			
Check: B, C, C1						
Zones: 100						
Access:						


SEALANT REMOVAL NOTES:

PROCEDURES FOR REMOVING SEALANT FROM THE EXTERIOR PRESSURIZED FUSELAGE. USE THE SEMCO SCRAPER: P/N 234350 (6 INCH LENGTH) WILL MINIMIZE THE RISK OF DAMAGING CLAD ALUMINUM SURFACES DURING SEALANT REMOVAL. THE MAIN AREAS OF CONCERN ARE:

1. LAP JOINTS
2. BUTT JOINTS (INCLUDING UNDERLYING SPLICE PLATES)
3. OTHER AREAS WHERE SEALANT IS PRESENT (WING TO BODY FAIRINGS, WINDOWS, ACCESS DOORS, ETC.)



BODY SECTION 43 LH SIDE

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000501
	Spec. : GENERAL	Release Date: 06.04.2005		Page 3 of 3

OPEN-BODY SECTION 43 LH FWD

MAINT RII/INSP

IMPORTANT! Also open all access panels of the lower checks !!!

A	B	C	C1	C2	S	S1	S2	DESCRIPTION	PANEL NO	OPEN
								DRIFT PIN ACTUATOR PANEL	1043L	
								LATCH ACTUATOR ACCESS PANEL	1044L	
								LATCH ACTUATOR ACCESS PANEL	1045L	
								LATCH ACTUATOR ACCESS PANEL	1046L	
								LATCH ACTUATOR ACCESS PANEL	1047L	
								DRIFT PIN ACTUATOR PANEL	1048L	
	X	X	X	X				ELECTRONICS COMP. DOOR	1115	
								CARGO DOOR L 707-320C ONLY		