



sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000502
Spec. : GENERAL	Release Date: 06.04.2005		Page 1 of 3	

OPEN-BODY SECTION 43 RH AFT

Execution / Start Date:	
End Date:	

MAINT **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	TOOL	234350		SEMCO SCRAPER	1.00	EA

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21C1000502
	Oper. : RT-MP LC	Issuer : A48308	Cert.St.: 50516	
	Type : OPEN	Release Date: 06.04.2005	Page 2 of 3	
Spec. : GENERAL				


OPEN-BODY SECTION 43 RH AFT


					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.			GEN			
Check: C, C1						
Zones: 100						
Access:						

SEALANT REMOVAL NOTES:

PROCEDURES FOR REMOVING SEALANT FROM THE EXTERIOR PRESSURIZED FUSELAGE. USE THE SEMCO SCRAPER: P/N 234350 (6 INCH LENGTH) WILL MINIMIZE THE RISK OF DAMAGING CLAD ALUMINUM SURFACES DURING SEALANT REMOVAL. THE MAIN AREAS OF CONCERN ARE:

1. LAP JOINTS
2. BUTT JOINTS (INCLUDING UNDERLYING SPLICE PLATES)
3. OTHER AREAS WHERE SEALANT IS PRESENT (WING TO BODY FAIRINGS, WINDOWS, ACCESS DOORS, ETC.)



sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000502
	Spec. : GENERAL	Release Date: 06.04.2005		Page 3 of 3

OPEN-BODY SECTION 43 RH AFT

MAINT RII/INSP

IMPORTANT! Also open all access panels of the lower checks !!!

A	B	C	C1	C2	S	S1	S2	DESCRIPTION	PANEL NO	OPEN
			X					WATER DRAIN DOOR	1027R	
								FWD CARGO DOOR MECHANISM	1116R	
								FWD CARGO DOOR MECHANISM	1117R	
								FWD CARGO DOOR MECHANISM	1118R	
								FWD CARGO DOOR MECHANISM	1119R	
			X					FWD GALLEY DOOR	1143R	
			X					FWD CARGO DOOR	1144R	