



sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000507
Spec. : GENERAL	Release Date: 06.04.2005		Page 1 of 3	

OPEN-BODY SECTION 48 LH

Execution / Start Date:	
End Date:	

MAINT **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	TOOL	234350		SEMCO SCRAPER	1.00	EA


sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21C1000507 Page 2 of 3
	Oper. : RT-MP LC	Issuer : A48308	Cert.St.: 50516	
	Type : OPEN	Release Date: 06.04.2005		
Spec. : GENERAL				

OPEN-BODY SECTION 48 LH


					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.			GEN			
Check: B, C, C1						
Zones:						
Access:						

SEALANT REMOVAL NOTES:
PROCEDURES FOR REMOVING SEALANT FROM THE EXTERIOR PRESSURIZED FUSELAGE. USE THE SEMCO SCRAPER: P/N 234350 (6 INCH LENGTH) WILL MINIMIZE THE RISK OF DAMAGING CLAD ALUMINUM SURFACES DURING SEALANT REMOVAL. THE MAIN AREAS OF CONCERN ARE:

1. LAP JOINTS
2. BUTT JOINTS (INCLUDING UNDERLYING SPLICE PLATES)
3. OTHER AREAS WHERE SEALANT IS PRESENT (WING TO BODY FAIRINGS, WINDOWS, ACCESS DOORS, ETC.)



BODY SECTION 48 LH

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : OPEN	Issuer : A48308	Cert.St.: 50516	21C1000507
Spec. : GENERAL	Release Date: 06.04.2005		Page 3 of 3	

OPEN-BODY SECTION 48 LH

MAINT RII/INSP

IMPORTANT! Also open all access panels of the lower checks !!!

A	B	C	C1	C2	S	S1	S2	DESCRIPTION	PANEL NO	OPEN
	X	X	X						1185L	
									1187	
	X	X						TAIL CONE ACCESS PANEL	1188	
									1197L	
									1198L	