



sabena [®] B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21E0000504
	Oper. : RT-MP LC			
	Type : * ZONAL INSP*	Issuer : A43710	Cert.St.: 24828	Page 1 of 2
Spec. : MECHANIC	Release Date: 11.10.2001			

AD 94-1006 rev 8913 HOR STAB CENTER SECT INSP

		MAINT	RII/INSP
Execution / Start Date:			
End Date:			

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21E0000504 Page 2 of 2
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : * ZONAL INSP*	Release Date: 11.10.2001		
	Spec. : MECHANIC			

AD 94-1006 rev 8913 HOR STAB CENTER SECT INSP

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 S	MEC	AD 94-1006 rev 8913 MMS-328 533540 01000 rev 15/01/95 SB 55-3001 rev .		
Check: C						
Zones:						
Access:						

HORIZONTAL STABILIZER CENTER SECTION RIB CHORD INSPECTION.

1. Close visual inspection of the fillet area of the upper and lower closure rib chords. Pay particular attention for a distance of approximately 4 inches from the front edge of the vertical leg aft.
2. Apply a wet coat of water displacing corrosion preventive compound BMS 3 to the forward end of the chord and mating structure.

