



sabena [®] B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21E0000507
	Oper. : RT-MP LC			
	Type : * ZONAL INSP*	Issuer : A59513	Cert.St.: 50516	
Spec. : MECHANIC	Release Date: 03.05.2011		Page 1 of 2	

AD 85-12-01 rev . HOR STAB REAR SPAR UP CHORD INSP

		MAINT	RII/INSP
Execution / Start Date:			
End Date:			

AD 85-12-01 rev . HOR STAB REAR SPAR UP CHORD INSP

sabena B707	Module: LWR FUS / EMPENA	A/C Reg :	Check :	 21E0000507 Page 2 of 2
	Oper. : RT-MP LC	Issuer : A59513	Cert.St.: 50516	
	Type : * ZONAL INSP*	Release Date: 03.05.2011		
Spec. : MECHANIC				



AD 85-12-01 rev . **HOR STAB REAR SPAR UP CHORD INSP**

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 S	MEC	AD 78-01-04 rev . AD 85-12-01 R1 rev 5439 MMS-328 533580 05000 rev 30/10/08 SB 55-3331 rev . SB A3516 rev 0 SSID 55-A45-02/A rev N.		
Check: C						
Zones: 137						
Access: 1185 L						
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):				

CONDITION: Horizontal stabilizer LE in DOWN position.

HORIZONTAL STABILIZER REAR SPAR UPPER CHORD INSPECTION.

1. Close visual inspection of the exposed surfaces of upper chord for cracks between terminal fitting lugs.
2. Apply BMS 3-23 on center section rear spar upper chord.



HORIZONTAL STABILIZER CENTER SECTION REAR SPAR UPPER CHORD INSPECTION

AD 85-12-01 rev . **HOR STAB REAR SPAR UP CHORD INSP**