



<b>sabena</b> <sup>®</sup> <b>B707</b>	Module: LH WING + FL CTR	A/C Reg :	Check :	 <b>31F4000504</b>
	Oper. : RT-MP LC			
	Type : NDT INSP	Issuer : A59513	Cert.St.: 46928	<b>Page 1 of 3</b>
Spec. : NDT INSP	Release Date: 25.11.2005			

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP

		MAINT	RII/INSP
Execution / Start Date:			
End Date:			

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP

<b>sabena</b> <b>B707</b>	Module: LH WING + FL CTR	A/C Reg :	Check :	 <b>31F4000504</b> <b>Page 2 of 3</b>
	Oper. : RT-MP LC			
	Type : NDT INSP	Issuer : A59513	Cert.St.: 46928	
	Spec. : NDT INSP	Release Date: 25.11.2005		

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP

					MAINT	RII/INSP	
Nr.	Hardtime	Task	Spec.	Related Documents			
1.	18672 CYC	E4	NDT	AD 85-12-01 R1 rev 5439 MMS-328 570180 05001 rev 15.07.04 SSID 57-A45-11DA1 rev N			
<b>Check:</b> C1							
<b>Zones:</b> 571, 572, 673, 674							
<b>Access:</b>							
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):					

**LH & RH WING UPPER PANEL WS 360 SPLICE STRINGERS S-1 THROUGH FRONT SPAR NDT INSPECTION.**

Perform LOW FREQUENCY EDDY CURRENT EXTERNAL INSPECTION, for cracks at selected fastener location 3.5 inches each side of splice center line and at other specified fastener locations.

Ref: DOC. D6-48023, PART6, 57-10-07, FIG. 40.

INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

Nr.	Hardtime	Task	Spec.	Related Documents			
2.	18751 CYC	E4	NDT	AD 85-12-01 R1 rev 5439 MMS-328 570180 05001 rev 15.07.05 SSID 57-A45-11DA1 rev N			
<b>Check:</b> C1							
<b>Zones:</b> 571, 572, 673, 674							
<b>Access:</b>							
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):					

**LH & RH WING UPPER PANEL WS 360 SPLICE STRINGERS S-1 THROUGH FRONT SPAR NDT INSPECTION.**


Perform LOW FREQUENCY EDDY CURRENT EXTERNAL INSPECTION, for cracks at selected fastener location 3.5 inches each side of splice center line and at other specified fastener locations.

Ref: DOC. D6-48023, PART6, 57-10-07, FIG. 40.

INSPECTION PERFORMED ON:

- LH. WING.

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP

<b>sabena</b> <b>B707</b>	Module: LH WING + FL CTR	A/C Reg :	Check :	 <b>31F4000504</b> <b>Page 3 of 3</b>
	Oper. : RT-MP LC			
	Type : NDT INSP	Issuer : A59513	Cert.St.: 46928	
	Spec. : NDT INSP	Release Date: 25.11.2005		

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP

- RH. WING.				<b>MAINT</b>	<b>RII/INSP</b>
<b>Nr.</b>	<b>Hardtime</b>	<b>Task</b>	<b>Spec.</b>	<b>Related Documents</b>	
<b>3.</b>		<b>E4</b>	<b>NDT</b>	AD 85-12-01 R1 rev 5439 MMS-328 570180 05001 rev 15.07.05 SSID 57-A45-11DA1 rev N	
<b>Check:</b> C1					
<b>Zones:</b> 571, 572, 673, 674					
<b>Access:</b>					
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):			

**LH & RH WING UPPER PANEL WS 360 SPLICE STRINGERS S-1 THROUGH FRONT SPAR NDT INSPECTION.**

Perform LOW FREQUENCY EDDY CURRENT EXTERNAL INSPECTION, for cracks at selected fastener location 3.5 inches each side of splice center line and at other specified fastener locations.

**Ref: DOC. D6-48023, PART6, 57-10-07, FIG. 40.**

INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

AD 85-12-01 rev .                    LH & RH WING UP PANEL WS 360 NDT INSP