


<b>sabena</b> <b>B707</b>	Module: VERT STAB + FL C	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : *LUBE*	Issuer : A43710	Cert.St.: 24828	71I0000501
Spec. : MECHANIC	Release Date: 16.10.2001		Page 1 of 3	


**RUDDER TRIM CONT SYST LUB**

Execution / Start Date:	
End Date:	

**MAINT**      **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	FL & CH	MIL-G-23827		GREASE	0.00	

**RUDDER TRIM CONT SYST LUB**

<b>sabena</b> <b>B707</b>	Module: VERT STAB + FL C	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : *LUBE*	Issuer : A43710	Cert.St.: 24828	71I0000501
	Spec. : MECHANIC	Release Date: 16.10.2001		Page 2 of 3

**RUDDER TRIM CONT SYST LUB**

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		S	MEC	MM 27-18-0* rev . MMS-328 272000 01000 rev 15/05/01 MPD 04-27-15 rev .		
<b>Check:</b> C1						
<b>Zones:</b> 137, 395, 396						
<b>Access:</b> 1514L						


**RUDDER TRIM CONTROL SYSTEM LUBRICATION.**

(Mark with 'X' at each lube location)

NOTE: Remove excess of grease & clean contamination areas in the immediate vicinity.

Lubricate the rudder trim control system:


- Rudder trim actuator jackscrew.
- Rod end bearing.
- Control tab push rod.
- Control tab damper.

<b>sabena</b> <sup>®</sup> B707	Module: VERT STAB + FL C	A/C Reg :	Check :	 7110000501
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : *LUBE*	Release Date: 16.10.2001	Page 3 of 3	
Spec. : MECHANIC				

**RUDDER TRIM CONT SYST LUB**

**MAINT      RII/INSP**

lubricant MIL-G-23827 indicated if otherwise



Add a few drops of oil MIL-L-7870  
Actuate through one complete cycle

**RUDDER TRIM CONT SYST LUB**