



sabena [®] B707	Module: COCKPIT + WINDOW	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A43710	Cert.St.: 24828	81F1000500
Spec. : REI INSP	Release Date: 11.10.2001		Page 1 of 3	

COCKPIT/CABIN FIRE EXTING INSP

Execution / Start Date:	
End Date:	

MAINT	RII/INSP

sabena B707	Module: COCKPIT + WINDOW	A/C Reg :	Check :	 81F1000500 Page 2 of 3
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : REI-INSP	Release Date: 11.10.2001		
Spec. : REI INSP				

COCKPIT/CABIN FIRE EXTING INSP

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 M1	INS	MMS-328 262601 00103 rev 15/05/01 MMS-328 262601 00104 rev 15/05/01		
Check: B						
Zones: 223, 226						
Access:						

FIRE EXTINGUISHERS & MOUNTING BRACKETS:


1. PERFORM INSP/CHECK OF FIRE EXTINGUISHERS & MOUNTING BRACKETS.
(SEE PROCEDURE 1 OF 2)


INSPECTION PERFORMED ON EXTINGUISHERS IN:

- A. FLIGHT ENGINEER STATION (**MS 262601 00103**).
- B. PASSENGER CABIN (**MS 262601 00104**).

PROCEDURE NO1: (MODEL 1)

- Check:
- a) Mounting bracket for condition.
 - b) Safety wire intact & secure to seal.
 - c) Pressure gauge: pointer in green area.
 - d) Exterior of extinguisher for corrosion, chafing, paint stripping & other damage.
 - e) Instruction & control label for legibility.
 - f) Weigh extinguisher, if weight has decreased by more than **0.020 Kg.** remove extinguisher.



sabena B707	Module: COCKPIT + WINDOW	A/C Reg :	Check :	 81F1000500
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A43710	Cert.St.: 24828	Page 3 of 3
Spec. : REI INSP	Release Date: 11.10.2001			

COCKPIT/CABIN FIRE EXTING INSP

PROCEDURE NO 2: (MODEL 2)

CHECK: a) Mounting bracket for condition.

b) Press.indicator: pointer in green band.

c) Exterior of extinguisher for corrosion, chafing, paint stripping & other damage.

d) Instruction & control label for legibility.

Note: Unscrew control head & clean with compressed air.

e) Operation of control head.

f) Sealdisk for condition & traces of dry chemical.

MAINT **RII/INSP**

