



<b>sabena</b> <b>B707</b>	Module: MAIN CARGO RAMP+	A/C Reg :	Check :	
	Oper. : RT-MP LC	Issuer : A59513	Cert.St.: 46928	
	Type : *LUBE*	Release Date: 17.08.2006	<b>Page 1 of 3</b>	
Spec. : MECHANIC				

**MAIN CARGO DOOR LUB**

Execution / Start Date:	
End Date:	

**MAINT**      **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	FL & CH	MIL-G-23827	896278	BMS3-33	1.00	
1	FL & CH	BMS 3-11		HYDR. OIL	0.00	

<b>sabena</b> B707	Module: MAIN CARGO RAMP+	A/C Reg :	Check :	 <b>B1I0000500</b>
	Oper. : RT-MP LC	Issuer : A59513	Cert.St.: 46928	
	Type : *LUBE*	Release Date: 17.08.2006	Page 2 of 3	
Spec. : MECHANIC				


**MAIN CARGO DOOR LUB**


					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		S	MEC	MMS-328 523210 04000 rev 15/05/01		
Check: C						
Zones: 249						
Access:						
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):				

**MAIN CARGO DOOR LUBRICATION.**

Lubricate main cargo door I.A.W figure.  
(Mark with 'X' at each lube location)



NOTE: Remove excess of grease & clean contamination areas in the immediate vicinity.



<b>sabena</b> B707	Module: MAIN CARGO RAMP+	A/C Reg :	Check :	 <b>B1I0000500</b> Page 3 of 3
	Oper. : RT-MP LC	Issuer : A59513	Cert.St.: 46928	
	Type : *LUBE*	Release Date: 17.08.2006		
	Spec. : MECHANIC			

**MAIN CARGO DOOR LUB**

<b>MAINT</b>	<b>RII/INSP</b>
--------------	-----------------



(1) WIPE EXPOSED CHROME ON ACTUATOR WITH CLEAN RAG SATURATED WITH HYDRAULIC FLUID

**MAIN CARGO DOOR LUB**