



<b>sabena</b> <sup>®</sup> <b>B707</b>	Module: NLG WW + DOORS	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A59513	Cert.St.: 45379	<b>G1F1000500</b>
Spec. : REI INSP	Release Date: 11.09.2008		<b>Page 1 of 3</b>	

**NOSE WW MAIN BAT & COMP INSP**

Execution / Start Date:	
End Date:	

MAINT	RII/INSP
-------	----------

--	--

<b>sabena</b> <b>B707</b>	Module: NLG WW + DOORS	A/C Reg :	Check :	 <b>G1F1000500</b> Page 2 of 3
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A59513	Cert.St.: 45379	
	Spec. : REI INSP	Release Date: 11.09.2008		

**NOSE WW MAIN BAT & COMP INSP**

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 S	INS	MMS-328 243001 00100 rev 16/03/06		
<b>Check:</b> B						
<b>Zones:</b> 131						
<b>Access:</b>						
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):				

**MAIN BATTERY & COMPARTMENT:**

1. Remove MAIN BATTERY & send to backshop for INSPECTION.

Note: IF VALIDITY DATE WILL BE REACHED BEFORE NEXT SCHEDULED CHECK:  
REPLACE BATTERY.


<b>TAG. NO:</b>
<b>SN. OFF:</b>

2. INSPECT MAIN BATTERY COMPARTMENT & BATTERY CONNECTIONS.

3. Before reinstallation of battery, CHECK BATTERY WATER LEVEL (LEAD ACID).

4. Reinstall Main battery & secure with lockwire, the battery elect. connector on battery.

<b>TAG. NO:</b>
<b>SN. ON:</b>

<b>sabena</b> B707	Module: NLG WW + DOORS	A/C Reg :	Check :	 <b>G1F1000500</b>
	Oper. : RT-MP LC	Issuer : A59513	Cert.St.: 45379	
	Type : REI-INSP	Release Date: 11.09.2008	Page 3 of 3	
Spec. : REI INSP				

**NOSE WW MAIN BAT & COMP INSP**

**MAINT      RII/INSP**

