



sabena [®] B707	Module: MLG WW + DOORS	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : * ZONAL INSP*	Issuer : A59513	Cert.St.: 46928	11E0000501
Spec. : MECHANIC	Release Date: 28.11.2005		Page 1 of 3	

RH MLG LOCK SUPP FITTING INSP

Execution / Start Date:	
End Date:	

MAINT	RII/INSP

sabena B707	Module: MLG WW + DOORS	A/C Reg :	Check :	 11E000501 Page 2 of 3
	Oper. : RT-MP LC			
	Type : * ZONAL INSP*	Issuer : A59513	Cert.St.: 46928	
	Spec. : MECHANIC	Release Date: 28.11.2005		

RH MLG LOCK SUPP FITTING INSP


					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 E4 S	MEC	AD 94-10-06 REV 8913 rev . MMS-328 533440 01000 rev 06.06.02 SB 53-2837 FIG1 REV 5 rev .		
Check: C						
Zones:						
Access:						
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):				

RH MLG LOCK SUPPORT FITTING INSPECTION.


1. Open access panel from fillet rib to gain access to aft side of fitting.
2. Close visual inspection of all exposed surfaces of the fitting surface corrosion and cracks.
NOTE: IF CORROSION IS FOUND, EDDY CURRENT INSPECTION OF THE CORRODED AREA FOR CRACKS.

OK	NOT OK	DR N°

3. Apply BMS 3-23 on MLG lock support fitting.
4. Close access panel from fillet rib to gain access to aft side of fitting.

sabena [®] B707	Module: MLG WW + DOORS	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : * ZONAL INSP*	Issuer : A59513	Cert.St.: 46928	11E0000501
	Spec. : MECHANIC	Release Date: 28.11.2005		Page 3 of 3

RH MLG LOCK SUPP FITTING INSP



MAINT	RII/INSP
-------	----------