



<b>sabena</b> <sup>®</sup> <b>B707</b>	Module: MLG WW + DOORS	A/C Reg :	Check :	 <b>11F1000500</b>
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A45831	Cert.St.: 24828	<b>Page 1 of 3</b>
Spec. : REI INSP	Release Date: 02.10.2001			

**RH MAIN WW APU BAT & COMP INSP**

Execution / Start Date:	
End Date:	

MAINT	RII/INSP

<b>sabena</b> <b>B707</b>	Module: MLG WW + DOORS	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A45831	Cert.St.: 24828	<b>11F1000500</b>
Spec. : REI INSP	Release Date: 02.10.2001		<b>Page 2 of 3</b>	

**RH MAIN WW APU BAT & COMP INSP**

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3 S	INS	MMS-328 243102 00100 rev 15/05/01		
<b>Check: B</b>						
<b>Zones: 136</b>						
<b>Access:</b>						

**APU BATTERY & COMPARTMENT:**

1. Remove BATTERY & send to backshop for INSPECTION.

Note: IF VALIDITY DATE WILL BE REACHED BEFORE NEXT SCHEDULED CHECK:  
REPLACE BATTERY.

<b>TAG. NO:</b>
-----------------

<b>SN. OFF:</b>
-----------------


2. INSPECT BATTERY COMPARTMENT & BATTERY CONNECTIONS.

3. Before reinstallation of battery, CHECK BATTERY WATER LEVEL (LEAD ACID).


4. Reinstall APU battery & secure with lockwire, the battery elect.connector on battery.

<b>TAG. NO:</b>
-----------------

<b>SN. ON:</b>
----------------

<b>sabena</b> <sup>®</sup> <b>B707</b>	Module: MLG WW + DOORS	A/C Reg :	Check :	 <b>11F1000500</b>
	Oper. : RT-MP LC	Issuer : A45831	Cert.St.: 24828	
	Type : REI-INSP	Release Date: 02.10.2001	<b>Page 3 of 3</b>	
Spec. : REI INSP				

**RH MAIN WW APU BAT & COMP INSP**



MAINT	RII/INSP