



<b>sabena</b> <b>B707</b>	Module: ENGINE 2	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : MEC-INSP	Issuer : A43710	Cert.St.: 24828	<b>O1F2000502</b>
Spec. : MECH. INSP	Release Date: 17.10.2001		<b>Page 1 of 3</b>	

**ENG 2 CASE DRAIN FILTER INSP**

Execution / Start Date:	
End Date:	


**MAINT      RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	CONSUM	NAS 1611-012	022299	O RING	1.00	EA
1	CONSUM	NAS 1611-216	220027	O RING	1.00	EA
1	TOOL	.		TORQUEMETER TO 150 POUND INCH	0.00	

<b>sabena</b> <b>B707</b>	Module: ENGINE 2	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : MEC-INSP	Issuer : A43710	Cert.St.: 24828	<b>O1F2000502</b>
	Spec. : MECH. INSP	Release Date: 17.10.2001		<b>Page 2 of 3</b>

**ENG 2 CASE DRAIN FILTER INSP**

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		E3	INS	MMS-328 291009 00101 rev 15/05/01		
Check: B						
Zones: 456						
Access:						
<b><u>ENG STRUT NO 2:</u></b>						
1. <u>INSPECT THE HYDRAULIC UTILITY PUMP CASE DRAIN FILTER ELEMENT:</u>						
A. Remove case drain filter element.						
B. Inspect case drain filter (PN:043046) for METAL CONTAMINATION.						
C. Reinstall filter element with <b>NEW "O"-RINGS</b> & torque filter case to <b>75 POUND-INCHES</b> . Install LOCKWIRE.						

<b>sabena</b> B707	Module: ENGINE 2	A/C Reg :	Check :	 <b>O1F2000502</b>
	Oper. : RT-MP LC	Issuer : A43710	Cert.St.: 24828	
	Type : MEC-INSP	Release Date: 17.10.2001	Page 3 of 3	
Spec. : MECH. INSP				

**ENG 2 CASE DRAIN FILTER INSP**

**MAINT      RII/INSP**

