


sabena B707	Module: ENGINE 3	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A59513	Cert.St.: 50516	P1F1000500
Spec. : ELECTRICIAN	Release Date: 18.05.2010		Page 1 of 3	


ENG 3 HYDR EDP DEPRESS VALVE INSP

			MAINT	RII/INSP
Execution / Start Date:				
End Date:				

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	FL & CH	.		METHYL ALCOHOL	0.00	

--	--	--	--	--	--	--

ENG 3 HYDR EDP DEPRESS VALVE INSP


sabena B707	Module: ENGINE 3	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A59513	Cert.St.: 50516	P1F1000500
Spec. : ELECTRICIAN	Release Date: 18.05.2010		Page 2 of 3	

ENG 3 HYDR EDP DEPRESS VALVE INSP

					MAINT	RII/INSP	
Nr.	Hardtime	Task	Spec.	Related Documents			
1.		E1 S	REI	MMS-328 291011 00103 rev 15/05/01			
Check: B							
Zones: 453							
Access:							
NRC YES <input type="radio"/> NO <input type="radio"/>		IF YES, NUMBER(S):					

ENG.3 HYDRAULIC EDP DEPRESSURIZING VALVE

1. Disconnect connector on valve.
2. CLEAN Connector with METHYL ALCOHOL & let the connector dry.
3. Perform visual INSPECTION of connector.
4. Reinstall connector.

sabena B707	Module: ENGINE 3	A/C Reg :	Check :	 P1F1000500
	Oper. : RT-MP LC			
	Type : REI-INSP	Issuer : A59513	Cert.St.: 50516	Page 3 of 3
	Spec. : ELECTRICIAN	Release Date: 18.05.2010		

ENG 3 HYDR EDP DEPRESS VALVE INSP

MAINT RII/INSP

