



sabena B707	Module: ENGINE 3	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : SERVICING	Issuer : A43710	Cert.St.: 46928	P1H1000502
Spec. : MECHANIC	Release Date: 02.07.2002		Page 1 of 3	

ENG 3 STARTER OIL REPL

Execution / Start Date:	
End Date:	


MAINT **RII/INSP**

Pos	Mat. Type	P/N	IDN	Description	Qty	Unit
1	CONSUM	MS35769-9	004223	O-RING	1.00	EA
1	FL & CH	MIL-L-23699	280752025	MOBIL JET OIL 2	0.00	


sabena B707	Module: ENGINE 3	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : SERVICING	Issuer : A43710	Cert.St.: 46928	P1H1000502
	Spec. : MECHANIC	Release Date: 02.07.2002		Page 2 of 3

ENG 3 STARTER OIL REPL

					MAINT	RII/INSP
Nr.	Hardtime	Task	Spec.	Related Documents		
1.		S	MEC	MMS-328 800001 A0103 rev 15/05/01		
Check: B						
Zones: 453						
Access:						
<u>ENG 3 STARTER OIL REPLACEMENT:</u>						
<ol style="list-style-type: none"> 1. Remove oil FILL & DRAIN plug & allow oil to drain completely. 2. Install oil DRAIN plug & lockwire & FILL STARTER oil sump to the bottom thread of the FILL PORT with max. 350 cubic centimeters of lubricating oil. 3. Install FILL plug & lockwire. 						

sabena B707	Module: ENGINE 3	A/C Reg :	Check :	
	Oper. : RT-MP LC			
	Type : SERVICING	Issuer : A43710	Cert.St.: 46928	P1H1000502
	Spec. : MECHANIC	Release Date: 02.07.2002		Page 3 of 3

ENG 3 STARTER OIL REPL



MAINT	RII/INSP