



|   |                          |                 |                 |   |
|---|--------------------------|-----------------|-----------------|---|
| <b>sabena</b> <sup>®</sup><br><b>B707</b> | Module: LH WING (INT)    | A/C Reg :       | Check :         | <br><b>W1F3000500</b> |
|   | Oper. : RT-MP LC         |                 |                 |   |
|   | Type : STRUCT-INSP       | Issuer : A59513 | Cert.St.: 46928 |   |
| Spec. : MECH. INSP                        | Release Date: 28.11.2005 |                 | Page 1 of 3     |   |

**AD 85-12-01                      LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP**

|                         |  | MAINT | RII/INSP |
|-------------------------|--|-------|----------|
| Execution / Start Date: |  |       |          |
| End Date:               |  |       |          |

**AD 85-12-01                      LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP**

|                              |                       |                          |                 |   |
|------------------------------|-----------------------|--------------------------|-----------------|---|
| <b>sabena</b><br><b>B707</b> | Module: LH WING (INT) | A/C Reg :                | Check :         | <br><b>W1F3000500</b><br><b>Page 2 of 3</b> |
|                              | Oper. : RT-MP LC      |                          |                 |   |
|                              | Type : STRUCT-INSP    | Issuer : A59513          | Cert.St.: 46928 |   |
|                              | Spec. : MECH. INSP    | Release Date: 28.11.2005 |                 |   |

AD 85-12-01 LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP

|  |           |                    |       |   | MAINT | RII/INSP |  |
|--|-----------|--------------------|-------|---|-------|----------|--|
| Nr.  | Hardtime  | Task               | Spec. | Related Documents   |       |          |  |
| 1.   | 18672 CYC |                    | INS   | AD 85-12-01 R1 rev 5439<br>MMS-328 572080 09001 rev 15.07.05<br>SSID 57-A45-21E/A rev P |       |          |  |
| <b>Check:</b> C1   |           |                    |       |   |       |          |  |
| <b>Zones:</b> 572, 584, 673, 674                         |           |                    |       |   |       |          |  |
| <b>Access:</b> 1324 L, 1324R, 1325L, 1325R, 1326L, 1326R |           |                    |       |   |       |          |  |
| NRC YES <input type="radio"/> NO <input type="radio"/>   |           | IF YES, NUMBER(S): |       |   |       |          |  |

**CONDITION: FOR INTERNAL INSPECTION.**

- Defueling + ventilation tanks 2, 3 and center.
- In tanks 2, 3 and center structural members REMOVED.

**LH & RH WING UPPER SKIN BBL 70.50 TO WS 360 INSPECTION.**

Perform close visual inspection internal and external of wing rear spar web (including trunion support fitting), upper chord vertical/horizontal flanges, terminal support spar chord at side of body splice and wing upper skin (including splice plates at side of body and at WS 360) in area of rear spar. Particular attention should be given to splice areas, areas of excessive sealant and areas hidden by local stiffeners, ribs and secondary structure, especially flap track support fittings.

EXTERNAL INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

INTERNAL INSPECTION PERFORMED ON:


- LH. WING.
- RH. WING.

| Nr.  | Hardtime  | Task               | Spec. | Related Documents   |  |  |  |
|--|-----------|--------------------|-------|---|--|--|--|
| 2.   | 18751 CYC |                    | INS   | AD 85-12-01 R1 rev 5439<br>MMS-328 572080 09001 rev 15.07.05<br>SSID 57-A45-21E/A rev P |  |  |  |
| <b>Check:</b> C1   |           |                    |       |   |  |  |  |
| <b>Zones:</b> 572, 584, 673, 674                         |           |                    |       |   |  |  |  |
| <b>Access:</b> 1324 L, 1324R, 1325L, 1325R, 1326L, 1326R |           |                    |       |   |  |  |  |
| NRC YES <input type="radio"/> NO <input type="radio"/>   |           | IF YES, NUMBER(S): |       |   |  |  |  |

**CONDITION: FOR INTERNAL INSPECTION.**

- Defueling + ventilation tanks 2, 3 and center.
- In tanks 2, 3 and center structural members REMOVED.

AD 85-12-01 LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP

|                              |                       |                          |                 |   |
|------------------------------|-----------------------|--------------------------|-----------------|---|
| <b>sabena</b><br><b>B707</b> | Module: LH WING (INT) | A/C Reg :                | Check :         | <br><b>W1F3000500</b><br><b>Page 3 of 3</b> |
|                              | Oper. : RT-MP LC      | Issuer : A59513          | Cert.St.: 46928 |   |
|                              | Type : STRUCT-INSP    | Release Date: 28.11.2005 |                 |   |
| Spec. : MECH. INSP           |                       |                          |                 |   |

**AD 85-12-01 LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP**

**LH & RH WING UPPER SKIN BBL 70.50 TO WS 360 INSPECTION.**

Perform close visual inspection internal and external of wing rear spar web (including trunion support fitting), upper chord vertical/horizontal flanges, terminal support spar chord at side of body splice and wing upper skin (including splice plates at side of body and at WS 360) in area of rear spar. Particular attention should be given to splice areas, areas of excessive sealant and areas hidden by local stiffeners, ribs and secondary structure, especially flap track support fittings.

EXTERNAL INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

INTERNAL INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

|              |                 |
|--------------|-----------------|
| <b>MAINT</b> | <b>RII/INSP</b> |
|--------------|-----------------|

| Nr. | Hardtime | Task | Spec. | Related Documents   |
|-----|----------|------|-------|---|
| 3.  |          |      | INS   | AD 85-12-01 R1 rev 5439<br>MMS-328 572080 09001 rev 15.07.05<br>SSID 57-A45-21E/A rev P |

**Check:** C1

**Zones:** 572, 584, 673, 674

**Access:** 1324 L, 1324R, 1325L, 1325R, 1326L, 1326R

NRC YES  NO  IF YES, NUMBER(S):

**CONDITION: FOR INTERNAL INSPECTION.**

- Defueling + ventilation tanks 2, 3 and center.
- In tanks 2, 3 and center structural members REMOVED.

**LH & RH WING UPPER SKIN BBL 70.50 TO WS 360 INSPECTION.**

Perform close visual inspection internal and external of wing rear spar web (including trunion support fitting), upper chord vertical/horizontal flanges, terminal support spar chord at side of body splice and wing upper skin (including splice plates at side of body and at WS 360) in area of rear spar. Particular attention should be given to splice areas, areas of excessive sealant and areas hidden by local stiffeners, ribs and secondary structure, especially flap track support fittings.

EXTERNAL INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

INTERNAL INSPECTION PERFORMED ON:

- LH. WING.
- RH. WING.

**AD 85-12-01 LH & RH WING UP SKIN BBL 70.50 TO WS 360 INSP**